



# PIPE

NOMINAL SIZE & OD	WALL THICKNESS	INSIDE DIAMETER	LBS PER FOOT	CLASS	SCHEDULE
1/8 (.405)	0.07	0.27	0.240	STD	40
	0.1	0.22	0.310	XS	80
1/4 (.540)	0.09	0.36	0.420	STD	40
	0.12	0.3	0.540	XS	80
3/8 (.675)	0.091	0.493	0.570	STD	40
	0.126	0.423	0.740	XS	80
1/2 (.840)	0.109	0.622	0.850	STD	40
	0.147	0.546	1.090	XS	80
3/4 (1.05)	0.113	0.824	1.130	STD	40
	0.154	0.742	1.470	XS	80
1 (1.315)	0.109	1.097	1.400		10
	0.133	1.049	1.680	STD	40
	0.179	0.957	2.170	XS	80
	0.358	0.599	3.660	XXS	
1-1/4 (1.660)	0.109	1.442	1.810		10
	0.140	1.380	2.270	STD	40
	0.191	1.278	3.000	XS	80
	0.382	0.896	5.210	XXS	
1-1/2 (1.900)	0.109	1.682	2.080		10
	0.145	1.610	2.720	STD	40
	0.200	1.500	3.630	XS	80
	0.400	1.100	6.410	XXS	
2 (2.375)	0.109	2.157	2.640		10
	0.154	2.067	3.650	STD	40
	0.218	1.939	5.020	XS	80
	0.344	1.687	7.460		160
	0.436	1.503	9.030	XXS	
2-1/2 (2.875)	0.203	2.469	5.790	STD	40
	0.276	2.323	7.660	XS	80
	0.375	2.125	10.010		160
	0.552	1.771	13.700	XXS	
3 (3.500)	0.216	3.068	7.580	STD	40
	0.300	2.900	10.250	XS	80
	0.438	2.624	14.310		160
	0.600	2.300	18.580	XXS	
3-1/2 (4.00)	0.226	3.548	9.110	STD	40
	0.318	3.364	12.510	XS	80
	0.636	2.728	22.850	XXS	



# PIPE

NOMINAL SIZE & OD	WALL THICKNESS	INSIDE DIAMETER	LBS PER FOOT	CLASS	SCHEDULE
4 (4.500)	0.237	4.026	10.790	STD	40
	0.337	3.826	14.980	XS	180
	0.438	3.624	18.980		120
	0.531	3.438	22.520		160
	0.674	3.152	27.540	XXS	
5 (5.563)	0.258	5.047	14.620	STD	40
	0.375	4.813	20.780	XS	80
	0.500	4.563	27.040		120
	0.625	4.313	32.960		160
	0.750	4.063	38.550	XXS	
6 (6.625)	0.280	6.065	18.970	STD	40
	0.432	5.761	28.570	XS	80
	0.562	5.501	36.420		120
	0.719	5.187	45.340		160
	0.864	4.897	53.160	XXS	
8 (8.625)	0.250	8.125	22.360		20
	0.277	8.071	24.700		30
	0.322	7.981	28.550	STD	40
	0.406	7.813	35.660		60
	0.500	7.625	43.390	XS	80
	0.594	7.437	50.930		100
	0.719	7.187	60.690		120
	0.812	7.001	67.790		140
	0.875	6.875	72.420	XXS	
0.906	6.813	74.710		160	
10 (10.750)	0.250	10.250	28.040		20
	0.307	10.136	34.240		30
	0.365	10.020	40.480	STD	40
10 (10.750)	0.500	9.750	54.740	XS	60
	0.594	9.562	64.400		80
	0.719	9.312	77.000		100
	0.844	9.062	89.270		120
	1.000	8.750	104.130		140
	1.125	8.500	115.650		160



# PIPE

NOMINAL SIZE & OD	WALL THICKNESS	INSIDE DIAMETER	LBS PER FOOT	CLASS	SCHEDULE
12 (12.750)	0.250	12.250	33.380		20
	0.330	12.090	43.770		30
	0.375	12.000	49.560	STD	
	0.406	11.938	53.560		40
	0.500	11.750	65.420	XS	
	0.562	11.626	73.220		60
	0.688	11.374	88.570		80
	0.844	11.062	107.290		100
	1.000	10.750	125.490		120
	1.125	10.500	139.680		140
1.312	10.126	160.330		160	
14 (14.000)	0.250	13.500	36.710		10
	0.312	13.376	45.680		20
	0.375	13.250	54.570	STD	30
	0.438	13.124	63.370		40
	0.500	13.000	72.090	XS	
	0.594	12.812	85.010		60
	0.750	12.500	106.130		80
	0.938	12.124	130.790		100
	1.094	11.812	150.760		120
	1.250	11.500	170.220		140
1.406	11.188	189.150		160	
16 (16.000)	0.250	15.500	42.050		10
	0.312	15.376	52.360		20
	0.375	15.250	62.580	STD	30
	0.500	15.000	82.770	XS	40
	0.656	14.688	107.540		60
	0.844	14.312	136.580		80
	1.031	13.938	164.860		100
	1.219	13.562	192.400		120
	1.438	13.124	223.570		140
	1.594	12.812	245.220		160



**Metals**  
The Coeur d'Alenes Company

## PIPE

NOMINAL SIZE & OD	WALL THICKNESS	INSIDE DIAMETER	LBS PER FOOT	CLASS	SCHEDULE
18 (18.000)	0.250	17.500	47.390		10
	0.312	17.376	59.030		20
	0.375	17.250	70.590	STD	
	0.438	17.124	82.060		30
	0.500	17.000	93.450	XS	
	0.562	16.876	104.760		40
	0.750	16.500	138.170		60
	0.938	16.124	170.840		80
	1.156	15.688	208.000		100
	1.375	15.250	244.140		120
1.562	14.876	274.300		140	
20 (20.000)	0.250	19.500	52.730		10
	0.375	19.250	78.600	STD	20
	0.500	19.000	104.130	XS	30
	0.594	18.812	123.060		40
	0.812	18.376	166.500		60
	1.031	17.938	208.920		80
	1.281	17.438	256.150		100
24 (24.000)	0.250	23.500	63.410		10
	0.375	23.250	94.620	STD	20
	0.500	23.000	125.490	XS	
	0.562	22.876	140.800		30
	0.688	22.624	171.170		40
	0.959	22.082	238.290		60
	1.219	21.562	296.530		80